AUTHOR INDEX

Aggarwal, I. D., 675
Ashary, A. A., 701
Atzor, M., 445

Bakker, W., 53
Balmain, K. G., 617
Barclay, J. A., 587
Begun, G. M., 199
Bellamy, B. A., 397
Benndorf, C., 275, 285
Berg, S., 463
Bergmann, E., 475
Blom, H.-O., 463
Borel, M. O., 117
Brandon, J. R., 143
Buhl, R., 475
Bull, S. J., 315, 397
Bunshah, R. F., 79, 153, 683
Burns, H. D., 627
Buschert, R. C., 377

Cabrera, A. L., 43
Champagne, B., 539
Chang, F., 721
Chase, R. E., 223
Cheng, C., 53
Cheng, C. C., 365
Clausing, R. E., 199
Collins, G. J., 675
Conrad, J. R., 587
Cooper, J. A., Jr., 241
Coutts, T. J., 647
Craig, G. D., 691
Cullen, F. L., 397

Dallaire, S., 539
Damo, M., 183
De, B. N., 647
Dederichs, H.-G., 435, 455
Deshpandey, C. V., 79, 153, 683
Dodd, R. A., 587
Doerr, H. J., 79, 153, 683
Drawl, W. R., 223
Dunn, B., 683

Erdemir, A., 365
Ernberger, C., 377
Ertürk, E., 435, 455

Federer, J. I., 71
Fenske, G. R., 365
Frach, P., 549
Fukumoto, M., 711

Gjerde, H. B., 599
Gogol, C. A., 499
Graham, M. E., 355
Grischke, M., 275
Gupta, S. K., 161

Hahn, B. H., 329, 409
Håkanson, G., 487
Harbission, B., 675
Harnack, J. T., 285
Hashimoto, M., 531
Heatherly, L., 199
Heisig, U., 549
Helrich, C. S., 377
Heuvel, H.-J., 435, 455
Hirata, M., 127
Hirose, T., 265
Hirose, Y., 235
Hirotsu, Y., 265
Ho, C. H., 79
Hojo, J., 539
Holland, D., 19
Hong, F., 19
Hyum, K. T., 409

Ichinose, Y., 265
Inagawa, K., 253
Inspektor, A., 211
Ito, I., 531
Ito, S., 531
Itoh, A., 253
Itoh, M., 127

Jackman, B., 721
Jagner, M., 387
Jones, A. M., 397
Jones, R. L., 89
Joo, H. H., 409
Joo, J. H., 329
Jungblut, F., 445

Kadlec, S., 301, 487
Karner, H., 293
Kirner, J. F., 43
Knight, J. C., 339
Knotek, O., 445
Koeberle, H., 275
Koga, M., 127
Komori, T., 531
Korndörfer, Chr., 549
Kropf, A. J., 377
Kustas, F. M., 573

Laminer, J., 293
Lerner, N. R., 637
Levy, M., 721
Li, X., 647
Linton, R. C., 627
Liou, Y., 211

Madapura, M., 587
Matsui, H., 265
McCune, R. C., 223
McKenna, T., 211
McKubre, M. C. H., 691
McNeil, J. R., 675
McPherson, R., 173
Meier, G. H., 1, 53
Memming, R., 275
Messier, R., 211
Mihelcic, J. A., 607
Misra, M. S., 573
Moll, E., 475
Moradi, M., 463
More, K. L., 199
Mueller, R. A., 499
Münz, W.-D., 487
Murakawa, M., 235
Murillo, M. S., 675
Musil, J., 301, 487

Nender, C., 463
Nicoll, A. R., 117
Nowak, W. B., 721

Oikawa, Y., 531
Okane, I., 711
Onoyama, M., 531

Page, T. F., 339
Panzer, S., 521
Perkins, R. A., 53
Perry, A. J., 387
Pettit, F. S., 1
Pippin, H. G., 595
Poulek, V., 301
Prakash, S., 79
Prengel, H.-G., 445
Prenger, F. C., 587
Price, J. R., 71
Pulker, H. K., 475

Radhakrishna, M. C., 153
Reicher, D. W., 675
Rickerby, D. S., 315, 397
Ritchie, I., 599
Rodhammer, P., 293
Rudnik, P. J., 355, 387, 499
Rutledge, S. K., 607

Sabata, A., 667
Saitoh, H., 265
Saitoh, K., 253
Sanjurjo, A., 691
Sato, Y., 183
Schiller, S., 521, 549
Schläpfer, H. W., 117
Schmid, R. K., 117
Shin, H., 683
Smith, P. A., 675
Smith, T., 377
Snyder, P. G., 647
Sproul, W. D., 355, 387, 499
Stewart, M. A., 241
Störi, H., 293
Strümpfel, J., 549
Sue, J. A., 421
Sundgren, J. E., 487

Tabakoff, W., 97
Takeda, K., 127
Takeuchi, S., 235
Takigawa, H., 127
Taylor, R., 143
Teer, D. G., 565
Tennyson, R. C., 617
Thakker, A. B., 161
Thieme, F., 275, 285
Toriz, F. C., 161
Troue, H. H., 421
Tucker, Jr., R. C., 701
Turley, D. M., 135

Umemoto, M., 711

van Ooij, W. J., 667
van Roode, M., 71
Vyskočil, J., 301

Wada, Y., 711
Walters, R. P., 655
Watanabe, K., 253
Wertheimer, M. R., 617
Whitaker, A. F., 627
Wilbur, P. J., 573
Wood, M. I., 29
Woollam, J. A., 647
Worzala, F. J., 587

Yarbrough, W. A., 241
Yu, S. Q., 675
Yuchi, Y., 253

Zanchuk, W., 65
Zega, B., 507
Zhao, Y., 647
Zimcik, D. G., 617

SUBJECT INDEX

Adhesion
correlation on interface structure with adhesive strength of ion-plated TiN hard coatings, 365
three-dimensional grain size control for simultaneous improvement of hardness and impact adhesion in (Ti, Al)N films on high speed steel, 409
Agglutination
technical note: agglutination process for coating ceramic particles, 539
Aluminium
CrN and (Ti, Al)N coatings deposited by the steered arc and random arc techniques, 435
effect of connected pores on the corrosion behavior of plasma sprayed alumina coatings, 711
high-temperature corrosion of alumina-forming coatings for superalloys, 1
spatial potential and electron energy distribution measurement around plasma reaction zone in triode bare of (Ti, Al)N, 329
three-dimensional grain size control for simultaneous improvement of hardness and impact adhesion in (Ti, Al)N films on high speed steel, 409
Arc evaporation
wear resistance of arc-evaporated and magnetron-sputtered coatings on cemented carbides, 445
Arc techniques
comparison of the steered arc and random arc techniques, 455
CrN and (Ti, Al)N coatings deposited by the steered arc and random arc techniques, 435
Ashing
effects of oxygen "ashing" on indium–tin oxide thin films, 647
Auger electron spectroscopy
an Auger electron spectroscopy study of the surface of Ni–Mo cemented Ti(CN) substrates used for deposition of crystalline diamond particles, 223
Boron
preparation of TiB_2 and TiB_xN_y coatings by PACVD, 293
structure and properties of c-BN film deposited by activated reactive evaporation with a gas activation nozzle, 253
synthesis of BN films by the plasma CVD with various solids: BH_3NH_3, H_3BO_3 and $NaBH_4$, 265
Carbon
a microstructural investigation of Au–a-C:H films, 275
an Auger electron spectroscopy study of the surface of Ni–Mo cemented Ti(CN) substrates used for deposition of crystalline diamond particles, 223
evaluation of ceramic coatings on silicon carbide, 71
factors affecting the tribological behaviour of thin hard TiN and TiC coatings, 339
plasma CVD diamond deposition in C–H–O systems, 211
target effects during the deposition of Ti–a-C:H films, 285
the residual stress in TiN films deposited onto cemented carbide by high-rate reactive sputtering, 387
wear resistance of arc-evaporated and magnetron-sputtered coatings on cemented carbides, 445
Ceramics
a review of microstructure and properties of plasma sprayed ceramic coatings, 173
bonding glass ceramics to high temperature alloys, 19
evaluation of ceramic coatings on silicon carbide, 71
technical note: agglutination process for coating ceramic particles, 539
Cerium
thermal properties of ceria and yttria partially stabilized zirconia thermal barrier coatings, 143

Chemical vapour deposition
chemical vapour deposition coatings in fluidized bed reactors, 691
electron microscopy of the growth features and crystal structures of filament assisted CVD diamond films, 199
texture and some properties of vapor-deposited diamond films, 183
Chemiluminescence
effect of reactor loading on atomic oxygen concentration as measured by NO chemiluminescence, 637
Chromium
CrN and (Ti, Al)N coatings deposited by the steered arc and random arc techniques, 435
diffusion chromizing of ferrous alloys, 53
electrochemical corrosion studies of alloys plasma sprayed with Cr_2O_3, 701
the use of Tafaloy 45 CT, an Ni–Cr–Ti alloy, as an arc sprayed corrosion barrier in high temperature sulfurous environments, 65
Combustion
combustion synthesis of diamond, 241
diamond coating of a long substrate by the use of a combustion flame, 235
Composites
thermal conductivity of metal–metal microlaminate composites, 153
Conductivity
thermal conductivity of metal–metal microlaminate composites, 153
Conversion coatings
chemical stability of phosphate conversion coatings on cold-rolled and electrogalvanized steels, 667
Corrosion
aqueous corrosion resistant platinum and stainless steel coatings, 655
effect of connected pores on the corrosion behavior of plasma sprayed alumina coatings, 711
electrochemical corrosion studies of alloys plasma sprayed with Cr_2O_3, 701
high-temperature corrosion of alumina-forming coatings for superalloys, 1
technical note: development of corrosion-resistant decorative colored stainless steel coils by an in-line dry-coating process, 531
the use of Tafaloy 45 CT, an Ni–Cr–Ti alloy, as an arc sprayed corrosion barrier in high temperature sulfurous environments, 65
Coupling
the effect of target–substrate coupling on reactive direct current magnetron sputtering, 549

Degradation
mechanisms of atomic oxygen induced materials degradation, 595
Depth profiling
reflection–diffraction X-ray diffraction depth profiling of reactively sputtered highly oriented TiN on MgO, 377
Diamond
combustion synthesis of diamond, 241
diamond coating of a long substrate by the use of a combustion flame, 235
electron microscopy of the growth features and crystal structures of filament assisted CVD diamond films, 199
plasma CVD diamond deposition in C–H–O systems, 211
texture and some properties of vapor-deposited diamond films, 183
Diffusion
diffusion chromizing of ferrous alloys, 53
formation of silicon diffusion coatings on ferrous alloys from their reaction with silane, 43
Dry coating
technical note: development of corrosion-resistant decorative colored stainless steel coils by an in-line dry-coating process, 531

Electron beams
thermal surface modification by electron beam high-speed scanning, 521
Electron energy distribution
spatial potential and electron energy distribution measurement around plasma reaction zone in triode bare of (Ti, Al)N, 329
Electron microscopy
electron microscopy of the growth features and crystal structures of filament assisted CVD diamond films, 199
Erosion
development of erosion resistant refrac-

tory metal and alloy coatings by magnetron sputtering, 135
influence of crystallographic orientation, residual strains, crystallite size and microhardness on erosion in ZrN coating, 421
investigation of coating at high temperature for use in turbomachinery, 97
Evaporation
effect of deposition variables on the properties of molybdenum sulfide films prepared by the activated reactive evaporation technique, 683

Fatigue
mechanical interactions between coatings and superalloys under conditions of fatigue, 29
ultra high current density nitrogen implantation of 440C steel for improved rolling contact fatigue lifetimes, 573
Flight service
flight service evaluation of thermal barrier coatings by physical vapor deposition at 5200 H, 161
Fluidized bed reactors
chemical vapour deposition coatings in fluidized bed reactors, 691
Fluorine
hermetic coatings for heavy metal fluoride glasses, 675

Glass
bonding glass ceramics to high temperature alloys, 19
Gold
a microstructural investigation of Au–a-C:H films, 275
Grain size
three-dimensional grain size control for simultaneous improvement of hardness and impact adhesion in (Ti, Al)N films on high speed steel, 409
Growth
electron microscopy of the growth features and crystal structures of filament assisted CVD diamond films, 199

Hard coatings
applications of hard coating by low-pressure plasma spray, 127
correlation on interface structure with adhesive strength of ion-plated TiN hard coatings, 365
factors affecting the tribological behaviour of thin hard TiN and TiC coatings, 339
hard decorative coatings by reactive physical vapor deposition: 12 years of development, 507
reactive deposition of hard coatings, 301
Hardness
the effect of N_2 partial pressure, deposition rate and substrate bias potential on the hardness and texture of reactively sputtered TiN coatings, 355
three-dimensional grain size control for simultaneous improvement of hardness and impact adhesion in (Ti, Al)N films on high speed steel, 409
Heavy metals
hermetic coatings for heavy metal fluoride glasses, 675
Hermetic coatings
hermetic coatings for heavy metal fluoride glasses, 675
Hydrogen
formation of silicon diffusion coatings on ferrous alloys from their reaction with silane, 43
plasma CVD diamond deposition in C–H–O systems, 211
synthesis of BN films by the plasma CVD with various solids: BH_3NH_3, H_3BO_3 and $NaBH_4$, 265

Indium
effects of oxygen "ashing" on indium–tin oxide thin films, 647
Ion plating
activated reactive ion plating (ARIP), 475
technical note: a magnetron sputter ion-plating system, 565
Iron
diffusion chromizing of ferrous alloys, 53
formation of silicon diffusion coatings on ferrous alloys from their reaction with silane, 43

Magnesium
reflection–diffraction X-ray diffraction depth profiling of reactively sputtered highly oriented TiN on MgO, 377

Magnetrons
development of erosion resistant refractory metal and alloy coatings by magnetron sputtering, 135
reactive deposition of TiN films using an unbalanced magnetron, 487
technical note: a magnetron sputter ion-plating system, 565
the effect of target–substrate coupling on reactive direct current magnetron sputtering, 549
wear resistance of arc-evaporated and magnetron-sputtered coatings on cemented carbides, 445
Mechanical interactions
mechanical interactions between coatings and superalloys under conditions of fatigue, 29
Mechanisms
mechanisms of atomic oxygen induced materials degradation, 595
Microlaminates
thermal conductivity of metal–metal microlaminate composites, 153
Molybdenum
an Auger electron spectroscopy study of the surface of Ni–Mo cemented Ti(CN) substrates used for deposition of crystalline diamond particles, 223
effect of deposition variables on the properties of molybdenum sulfide films prepared by the activated reactive evaporation technique, 683
thin film molybdenum silicide as potential temperature sensors for turbine engines, 79

Nickel
an Auger electron spectroscopy study of the surface of Ni–Mo cemented Ti(CN) substrates used for deposition of crystalline diamond particles, 223
the use of Tafaloy 45 CT, an Ni–Cr–Ti alloy, as an arc sprayed corrosion barrier in high temperature sulfurous environments, 65
Nitrogen
an Auger electron spectroscopy study of the surface of Ni–Mo cemented Ti(CN) substrates used for deposition of crystalline diamond particles, 223
correlation on interface structure with adhesive strength of ion-plated TiN hard coatings, 365
CrN and (Ti, Al)N coatings deposited by the steered arc and random arc techniques, 435
factors affecting the tribological behaviour of thin hard TiN and TiC coatings, 339
high-temperature X-ray diffraction studies on physical vapour deposited TiN, 397
influence of crystallographic orientation, residual strains, crystallite size and microhardness on erosion in ZrN coating, 421
preparation of TiB_2 and TiB_xN_y coatings by PACVD, 293
reactive deposition of TiN films using an unbalanced magnetron, 487
reflection–diffraction X-ray diffraction depth profiling of reactively sputtered highly oriented TiN on MgO, 377
spatial potential and electron energy distribution measurement around plasma reaction zone in triode bare of (Ti, Al)N, 329
structure and properties of c-BN film deposited by activated reactive evaporation with a gas activation nozzle, 253
synthesis of BN films by the plasma CVD with various solids: BH_3NH_3, H_3BO_3 and $NaBH_4$, 265
the effect of N_2 partial pressure, deposition rate and substrate bias potential on the hardness and texture of reactively sputtered TiN coatings, 355
the residual stress in TiN film deposited onto cemented carbide by high-rate reactive sputtering, 387
three-dimensional grain size control for simultaneous improvement of hardness and impact adhesion in (Ti, Al)N films on high speed steel, 409
ultra high current density nitrogen implantation of 440C steel for improved rolling contact fatigue lifetimes, 573

Oxygen
atomic oxygen resistant coatings on Kapton, 599
atomic oxygen resistant protective coatings for the Hubble Space Telescope solar array in low Earth orbit, 627
effect of connected pores on the corrosion behavior of plasma sprayed alumina coatings, 711

effect of reactor loading on atomic oxygen concentration as measured by NO chemiluminescence, 637
effects of oxygen "ashing" on indium–tin oxide thin films, 647
electrochemical corrosion studies of alloys plasma sprayed with Cr_2O_3, 701
high-temperature corrosion of alumina-forming coatings for superalloys, 1
mechanisms of atomic oxygen induced materials degradation, 595
plasma CVD diamond deposition in C–H–O systems, 211
reflection–diffraction X-ray diffraction depth profiling of reactively sputtered highly oriented TiN on MgO, 377
scandia-stabilized zirconia for resistance to molten vanadate–sulfate corrosion, 89
synthesis of BN films by the plasma CVD with various solids: BH_3NH_3, H_3BO_3 and $NaBH_4$, 265
thermal properties of ceria and yttria partially stabilized zirconia thermal barrier coatings, 143
undercutting of defects in thin film protective coatings on polymer surfaces exposed to atomic oxygen, 607

Partial pressures
advances in partial-pressure control applied to reactive sputtering, 499
Phosphorus
chemical stability of phosphate conversion coatings on cold-rolled and electrogalvanized steels, 667
Physical vapour deposition
flight service evaluation of thermal barrier coatings by physical vapor deposition at 5200 H, 161
hard decorative coatings by reactive physical vapor deposition: 12 years of development, 507
high-temperature X-ray diffraction studies on physical vapour deposited TiN, 397
Plasma deposition
a review of microstructure and properties of plasma sprayed ceramic coatings, 173
applications of hard coating by low-pressure plasma spray, 127
effect of connected pores on the corrosion behavior of plasma sprayed alumina coatings, 711
electrochemical corrosion studies of alloys plasma sprayed with Cr_2O_3, 701
evaluation of plasma-deposited protective coatings for multipurpose space applications, 617
plasma CVD diamond deposition in C–H–O systems, 211
preparation of TiB_2 and TiB_xN_y coatings by PACVD, 293
synthesis of BN films by the plasma CVD with various solids: BH_3NH_3, H_3BO_3 and $NaBH_4$, 265
Plasma methods
surface modification of monel K-500 by the plasma source ion implantation process, 587
Platinum
aqueous corrosion resistant platinum and stainless steel coatings, 655
Polymers
atomic oxygen resistant coatings on Kapton, 599
undercutting of defects in thin film protective coatings on polymer surfaces exposed to atomic oxygen, 607
Process modelling
the use of process modelling for optimum design of reactive sputtering processes, 463
Protective coatings
atomic oxygen resistant coatings on Kapton, 599
atomic oxygen resistant protective coatings for the Hubble Space Telescope solar array in low Earth orbit, 627
evaluation of plasma-deposited protective coatings for multipurpose space applications, 617
undercutting of defects in thin film protective coatings on polymer surfaces exposed to atomic oxygen, 607

Reactive deposition
reactive deposition of hard coatings, 301
Reactive evaporation
structure and properties of c-BN film deposited by activated reactive evaporation with a gas activation nozzle, 253
Reactor loading
effect of reactor loading on atomic oxygen concentration as measured by NO chemiluminescence, 637

Refractory coatings
development of erosion resistant refractory metal and alloy coatings by magnetron sputtering, 135

Scandium
scandia-stabilized zirconia for resistance to molten vanadate–sulfate corrosion, 89
Silicon
evaluation of ceramic coatings on silicon carbide, 71
formation of silicon diffusion coatings on ferrous alloys from their reaction with silane, 43
thin film molybdenum silicide as potential temperature sensors for turbine engines, 79
Space applications
atomic oxygen resistant protective coatings for the Hubble Space Telescope solar array in low Earth orbit, 627
evaluation of plasma-deposited protective coatings for multipurpose space applications, 617
Spatial potential
spatial potential and electron energy distribution measurement around plasma reaction zone in triode bare of (Ti, Al)N, 329
Sputtering
advances in partial-pressure control applied to reactive sputtering, 499
development of erosion resistant refractory metal and alloy coatings by magnetron sputtering, 135
reflection–diffraction X-ray diffraction depth profiling of reactively sputtered highly oriented TiN on MgO, 377
technical note: a magnetron sputter ion-plating system, 565
the effect of N_2 partial pressure, deposition rate and substrate bias potential on the hardness and texture of reactively sputtered TiN coatings, 355
the effect of target–substrate coupling on reactive direct current magnetron sputtering, 549
the use of process modelling for optimum design of reactive sputtering processes, 463
wear resistance of arc-evaporated and magnetron-sputtered coatings on cemented carbides, 445
Steel
aqueous corrosion resistant platinum and stainless steel coatings, 655
chemical stability of phosphate conversion coatings on cold-rolled and electrogalvanized steels, 667
technical note: development of corrosion-resistant decorative colored stainless steel coils by an in-line dry-coating process, 531
ultra high current density nitrogen implantation of 440C steel for improved rolling contact fatigue lifetimes, 573
Structure
a microstructural investigation of Au–a-C:H films, 275
a review of microstructure and properties of plasma sprayed ceramic coatings, 173
electron microscopy of the growth features and crystal structures of filament assisted CVD diamond films, 199
engineering with surface coatings: the role of coating microstructure, 315
influence of crystallographic orientation, residual strains, crystallite size and microhardness on erosion in ZrN coating, 421
structure and properties of c-BN film deposited by activated reactive evaporation with a gas activation nozzle, 253
Sulphur
effect of deposition variables on the properties of molybdenum sulfide films prepared by the activated reactive evaporation technique, 683
scandia-stabilized zirconia for resistance to molten vanadate–sulfate corrosion, 89
the use of Tafaloy 45 CT, an Ni–Cr–Ti alloy, as an arc sprayed corrosion barrier in high temperature sulfurous environments, 65
Superalloys
high-temperature corrosion of alumina-forming coatings for superalloys, 1
mechanical interactions between coatings and superalloys under conditions of fatigue, 29
Surface coatings
engineering with surface coatings: the role of coating microstructure, 315

Surface modification
surface modification of monel K-500 by the plasma source ion implantation process, 587
thermal surface modification by electron beam high-speed scanning, 521

Target effects
target effects during the deposition of Ti–a-C:H films, 285
Temperature sensors
thin film molybdenum silicide as potential temperature sensors for turbine engines, 79
Texture
texture and some properties of vapor-deposited diamond films, 183
the effect of N_2 partial pressure, deposition rate and substrate bias potential on the hardness and texture of reactively sputtered TiN coatings, 355
Thermal barriers
flight service evaluation of thermal barrier coatings by physical vapor deposition at 5200 H, 161
thermal properties of ceria and yttria partially stabilized zirconia thermal barrier coatings, 143
Thin films
effects of oxygen "ashing" on indium–tin oxide thin films, 647
undercutting of defects in thin film protective coatings on polymer surfaces exposed to atomic oxygen, 607
Tin
effects of oxygen "ashing" on indium–tin oxide thin films, 647
Titanium
an Auger electron spectroscopy study of the surface of Ni–Mo cemented Ti(CN) substrates used for deposition of crystalline diamond particles, 223
assessment of corrosion resistant coatings for a depleted U–0.75 Ti alloy, 721
correlation on interface structure with adhesive strength of ion-plated TiN hard coatings, 365
CrN and (Ti, Al)N coatings deposited by the steered arc and random arc techiques, 435
factors affecting the tribological behaviour of thin hard TiN and TiC coatings, 339
high-temperature X-ray diffraction studies on physical vapour deposited TiN, 397
preparation of TiB_2 and TiB_xN_y coatings by PACVD, 293
reactive deposition of TiN films using an unbalanced magnetron, 487
reflection–diffraction X-ray diffraction depth profiling of reactively sputtered highly oriented TiN on MgO, 377
spatial potential and electron energy distribution measurement around plasma reaction zone in triode bare of (Ti, Al)N, 329
target effects during the deposition of Ti–a-C:H films, 285
the effect of N_2 partial pressure deposition rate and substrate bias potential on the hardness and texture of reactively sputtered TiN coatings, 355
the residual stress in TiN films deposited onto cemented carbide by high-rate reactive sputtering, 387
the use of Tafaloy 45 CT, an Ni–Cr–Ti alloy, as an arc sprayed corrosion barrier in high temperature sulfurous environments, 65
three-dimensional grain size control for simultaneous improvement of hardness and impact adhesion in (Ti, Al)N films on high speed steel, 409
Tribology
factors affecting the tribological behaviour of thin hard TiN and TiC coatings, 339
Turbines
the wear mechanisms occurring in abradable seals of gas turbines, 117
thin film molybdenum silicide as potential temperature sensors for turbine engines, 79
Turbomachinery
investigation of coating at high temperature for use in turbomachinery, 97

Uranium
assessment of corrosion resistant coatings for a depleted U–0.75 Ti alloy, 721

Vanadium
scandia-stabilized zirconia for resistance to molten vanadate–sulfate corrosion,

Wear
the wear mechanisms occurring in abradable seals of gas turbines, 117
wear resistance of arc-evaporated and magnetron-sputtered coatings on cemented carbides, 445

X-ray diffraction
high-temperature X-ray diffraction studies on physical vapour deposited TiN, 397

Yttrium
thermal properties of ceria and yttria partially stabilized zirconia thermal barrier coatings, 143

Zirconium
influence of crystallographic orientation, residual strains, crystallite size and microhardness on erosion in ZrN coating, 421
scandia-stabilized zirconia for resistance to molten vanadate–sulfate corrosion, 89
thermal properties of ceria and yttria partially stabilized zirconia thermal barrier coatings, 143